

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

Page 1/8

## **1** Identification

#### · Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

• **Part number:** 65-10005 - 65-10030 75-10005 - 75-10045

· Application of the substance / the mixture Abrasive blade

# • Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Allied High Tech Products Inc. 2376 East Pacifica Place USA-RANCHO DOMINGUEZ, CA 90220 USA info@alliedhightech.com

- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

# 2 Hazard(s) identification

#### · Classification of the substance or mixture



Carcinogenicity 2 H351 Suspected of causing cancer. Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to the liver, the blood and the gastro-intestinal tract through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.



Sensitization - Skin 1

H317 May cause an allergic skin reaction.

• Additional information: Based on health effects for dust

All components listed for this product are bound within the product. When handled as intended and under normal conditions of use, there is no evidence that any of the ingredients are released in amounts that pose a significant health risk.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

## Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

· Hazard pictograms



· Signal word Danger

## · Hazard-determining components of labeling:

nickel powder (particle diameter < 1 mm)

#### · Hazard statements

May cause an allergic skin reaction.

Suspected of causing cancer.

Causes damage to the liver, the blood and the gastro-intestinal tract through prolonged or repeated exposure. Route of exposure: Oral, Inhalation.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Additional information: Hazard statements are based on health effects from nickel dust.

## 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

·Hazardou	s components and components with occupational exposure limits:	
7440-02-0	nickel powder (particle diameter < 1 mm)	10%
	Carcinogenicity 2, H351; Specific Target Organ Toxicity - Repeated Exposure 1, H372; 🚸 Sensitization - Skin 1, H317; Aquatic Chronic 3, H412	
· Non-hazaı	dous components:	
	Proprietary Ingredient	70-80%
7782-40-3	Diamond	5-10%
· Additional	information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade see	cret.

## 4 First-aid measures

#### · Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.

(Contd. of page 1)

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

## Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

(Contd. of page 2)

• After swallowing: If symptoms persist consult doctor.

- · Information for doctor:
- $\cdot$  Most important symptoms and effects, both acute and delayed
- Breathing difficulty
- Eye irritation
- Coughing
- Allergic reactions
- Dermatitis
- Dermatitis

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Keep away from ignition sources
- Environmental precautions:

Do not allow product to reach sewage system or any water course.

- Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Open and handle receptacle with care.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store receptacle in a well ventilated area.
- $\cdot$  Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

 $\cdot$  Additional information about design of technical systems: No further data; see item 7.

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

(Contd. of page 3)

## Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

· Control parameters

1
· Components with limit values that require monitoring at the workplace:
7440-02-0 nickel powder (particle diameter < 1 mm)
PEL Long-term value: 1 mg/m <sup>3</sup>
REL Long-term value: 0.015 mg/m <sup>3</sup> as Ni; See Pocket Guide App. A
TLV Long-term value: 1.5* mg/m <sup>3</sup> elemental, *inhalable fraction, A5, BEI
· Ingredients with biological limit values:
7440-02-0 nickel powder (particle diameter < 1 mm)
BEI 5 µg/L
Medium: urine
Time: post-shift at end of workweek
Parameter: Nickel (background)
30 µg/L
Medium: urine
Time: post-shift at end of workweek
Parameter: Nickel (background)
. Exposure controls

- Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

<ul> <li>Information on basic physical and</li> </ul>	l chemical properties
---	-----------------------

• General Information • Appearance:	
Form:	Solid
Color:	Silver-colored
· Odor:	Odorless

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

#### Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

Boiling point/Boiling range:2,730 °CFlash point:Not applFlammability (solid, gaseous):Not deterDecomposition temperature:Not deterAuto igniting:Product in	cable. (34.653 °F) (36.930 °F) cable. mined.
Change in condition Melting point/Melting range:1,453 °C 2,730 °CBoiling point/Boiling range:2,730 °CFlash point:Not applFlash point:Not deterPlammability (solid, gaseous):Not deterDecomposition temperature:Not deterAuto igniting:Product ifDanger of explosion:Product ofExplosion limits:Image: Not deterUpper:Not deterVapor pressure:Not deterNot deterNot deterVapor pressure:Not deterNot deterNot deterVapor pressure:Not deterNot deterNot deterNot deterNot deterVapor pressure:Not deterNot appl	(34.653 °F) (36.930 °F) cable. mined.
Melting point/Melting range:1,453 °CBoiling point/Boiling range:2,730 °CFlash point:Not applFlammability (solid, gaseous):Not deterDecomposition temperature:Not deterDecomposition temperature:Not deterDanger of explosion:Product ofExplosion limits:Not deterUpper:Not deterVapor pressure:Not deterVapor pressure:Not applDensity:Not deterNot deterNot applDensity:Not deterNot deterNot applDensity:Not deterNot deterNot applDensity:Not deterNot deterNot deterNot deterNot appl	(36.930 °F) cable. mined.
Flammability (solid, gaseous):Not deterDecomposition temperature:Not deterDecomposition temperature:Not deterAuto igniting:Product iDanger of explosion:Product oExplosion limits:Iower:Lower:Not deterUpper:Not deterVapor pressure:Not applDensity:Not deterRelative densityNot appl	mined.
Decomposition temperature:Not deterAuto igniting:Product iDanger of explosion:Product oExplosion limits:Product oLower:Not deterUpper:Not deterVapor pressure:Not applDensity:Not deterRelative densityNot deterVapor densityNot appl	
Auto igniting:Product ifDanger of explosion:Product ofExplosion limits:Image: Comparison of explosion limits:Lower:Not deterUpper:Not deterVapor pressure:Not applDensity:Not deterRelative densityNot deterVapor densityNot appl	mined.
Danger of explosion:Product ofDanger of explosion limits:Product ofExplosion limits:Not deterUpper:Not deterVapor pressure:Not applDensity:Not deterRelative densityNot deterVapor densityNot appl	
Explosion limits:Lower:Not deterUpper:Not deterVapor pressure:Not applDensity:Not deterRelative densityNot deterVapor densityNot appl	s not selfigniting.
Lower:Not deterUpper:Not deterVapor pressure:Not applDensity:Not deterRelative densityNot deterVapor densityNot appl	loes not present an explosion hazard.
Density:Not deterRelative densityNot deterVapor densityNot appl	
Relative densityNot deterVapor densityNot appl	cable.
Evaporation rate Not appl	mined. cable.
Solubility in / Miscibility with Water: Insoluble	
Partition coefficient (n-octanol/water): Not deter	mined.
Viscosity: Dynamic: Not appl Kinematic: Not appl	
Solvent content: VOC content: 0.00 %	
Solids content: 100.0 %	
Other information No furthe	

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from acids, reducing agents and flammable materials.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

7440-02-0 nickel powder (particle diameter < 1 mm)

Dermal LD50 >5,000 mg/kg (rat)

Printing date 06/01/2022

Last revision 06/01/2022

### Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

· Primary chemical irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- Abrasive eye irritant
- Abrasive skin irritant

## · Carcinogenic categories

## · IARC (International Agency for Research on Cancer)

7440-02-0 nickel powder (particle diameter < 1 mm)

#### · NTP (National Toxicology Program)

7440-02-0 nickel powder (particle diameter < 1 mm)

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	
• Environmental hazards: • Marine pollutant:	No	

(Contd. of page 5)

2B

R

Version 4.0

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

#### Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

	(Contd. of page 6)			
· Special precautions for user	Not applicable.			
· Transport in bulk according to Annex II of MARPOL73/78 and				
the IBC Code	Not applicable.			
· UN "Model Regulation":	not regulated			

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- · Sara

· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
7440-02-0 nickel powder (particle diameter < 1 mm)	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
7440-02-0 nickel powder (particle diameter < 1 mm)	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed	

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2022 / 3.1
- · Supersedes date: 10/01/2021
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Printing date 06/01/2022

Version 4.0

Last revision 06/01/2022

## Product name: Diamond Wafering Blade - Plated Segmented and Plated Continuous Rim

BEI: Biological Exposure Limit Sensitization - Skin 1: Skin sensitisation - Category 1

Carcinogenicity 2: Carcinogenicity – Category 2 Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* \* Data compared to the previous version altered.

(Contd. of page 7)