

Page 1/6

### Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

## **1** Identification

- · Product name: Alumina Polishing Suspension, De-agglomerated, 0.3 & 1.0 micron
- · Part number: 90-187510, 90-187545, 90-187580, 90-187515, 90-187550, 90-187585
- · Application of the substance / the mixture Polishing solution
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Allied High Tech Products Inc.
  2376 East Pacifica Place
  USA-RANCHO DOMINGUEZ, CA 90220
  USA
  info@alliedhightech.com
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (310) 635-2466 Chemtrec: +1 (202) 483-7616

# 2 Hazard(s) identification

### · Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot$  **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components and components with occupational exposure limits:	
1344-28-1 aluminium oxide	10-20%
· Non-hazardous components:	
7732-18-5 water, distilled, conductivity or of similar purity	80-90%
· Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade s	ecret.

## 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Dermatitis

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

### Product name: Alumina Polishing Suspension, De-agglomerated, 0.3 & 1.0 micron

(Contd. of page 1) • Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
1344-	-28-1 aluminium oxide
	Long-term value: 15*; 5** mg/m <sup>3</sup> *Total dust; ** Respirable fraction
	Long-term value: 10* 5** mg/m <sup>3</sup> as Al*Total dust**Respirable/pyro powd./welding f.
	Long-term value: 1* mg/m <sup>3</sup> as Al; *as respirable fraction, A4

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- <sup>•</sup> Breathing equipment:
- Not required.
- Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands: Not required.
- · Eye protection: Goggles recommended during refilling.

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

### Product name: Alumina Polishing Suspension, De-agglomerated, 0.3 & 1.0 micron

(Contd. of page 2)

9 Physical and chemical property	ies
· Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Suspension
Color:	Whitish
Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	9
• Change in condition	
Melting point/Melting range:	0 °C (32 °F)
<b>Boiling point/Boiling range:</b>	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
Specific gravity:	1.1-1.2 (Air = 1)
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	81.8 %
VOC content:	0.00~%
Solids content:	18.2 %
· Other information	No further relevant information available.

## 10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from oxidising agents and acidic substances.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

#### Product name: Alumina Polishing Suspension, De-agglomerated, 0.3 & 1.0 micron

(Contd. of page 3)

### 11 Toxicological information

#### · Information on toxicological effects

· Acute toxicity:

### · LD/LC50 values that are relevant for classification:

#### 1344-28-1 aluminium oxide

#### Oral LD50 >5,000 mg/kg (rat)

#### Primary chemical irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.

#### · Sensitization: No sensitizing effects known.

#### · Additional toxicological information:

### Abrasive skin irritant

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

#### · Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 2 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

## 14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

#### Product name: Alumina Polishing Suspension, De-agglomerated, 0.3 & 1.0 micron

	(Contd. o	f page
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· DOT, IMDG, IATA	not regulated	
· Environmental hazards: Marina nallatarti	No	
• Marine pollutant:		
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MAR		
the IBC Code	Not applicable.	
· UN "Model Regulation":	not regulated	
5 Regulatory information		
• Section 355 (extremely hazardous substances): None of the ingredients is listed.		
• Section 313 (Specific toxic chemical listings):		
1344-28-1 aluminium oxide		
· TSCA (Toxic Substances Control Act):		
All components have the value ACTIVE.		
· Hazardous Air Pollutants		
• Hazardous Air Pollutants None of the ingredients is listed.		
None of the ingredients is listed.		
None of the ingredients is listed. • <b>Proposition 65</b>		
None of the ingredients is listed. • Proposition 65 • Chemicals known to cause cancer:	or females:	
None of the ingredients is listed.     • Proposition 65     • Chemicals known to cause cancer:     None of the ingredients is listed.	or females:	
None of the ingredients is listed.     • Proposition 65     • Chemicals known to cause cancer:     None of the ingredients is listed.     • Chemicals known to cause reproductive toxicity f		
None of the ingredients is listed.     • Proposition 65     • Chemicals known to cause cancer:     None of the ingredients is listed.     • Chemicals known to cause reproductive toxicity f     None of the ingredients is listed.		
None of the ingredients is listed.     • Proposition 65     • Chemicals known to cause cancer:     None of the ingredients is listed.     • Chemicals known to cause reproductive toxicity f     None of the ingredients is listed.     • Chemicals known to cause reproductive toxicity f     None of the ingredients is listed.     • Chemicals known to cause reproductive toxicity f	or males:	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Services

- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2022 / 2.1
- Supersedes date: 06/11/2020
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

### Product name: Alumina Polishing Suspension, De-agglomerated, 0.3 & 1.0 micron

(Contd. of page 5)

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent PD5: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit • \* Data compared to the previous version altered.