

Page 1/6

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

1 Identification

· Product name: Alumina Powder 0.05, 0.3, 1.0 micron / Aluminum Oxide Abrasive Powder 3, 5, 9, 15, 30 micron

- **Part number:** 90-187015 - 90-187195 90-130005 - 90-130050
- CAS Number: 1344-28-1
- **EC number:** 215-691-6
- · Application of the substance / the mixture Abrasive
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Allied High Tech Products Inc.
 2376 East Pacifica Place
 USA-RANCHO DOMINGUEZ, CA 90220
 USA
 info@alliedhightech.com
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (310) 635-2466 Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

- · Classification of the substance or mixture The substance is not classified, according to the Globally Harmonized System (GHS).
- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 1344-28-1 aluminium oxide
- Identification number(s)
- EC number: 215-691-6

4 First-aid measures

- \cdot Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- \cdot After eye contact: Rinse opened eye for several minutes under running water.

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Alumina Powder 0.05, 0.3, 1.0 micron / Aluminum Oxide Abrasive Powder 3, 5, 9, 15, 30 micron

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- \cdot Most important symptoms and effects, both acute and delayed
- Eye irritation Dermatitis
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- \cdot Requirements to be met by storerooms and receptacles:
- Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

	· Components with limit values that require monitoring at the workplace:		
1344-28-1 aluminium oxide			
	Long-term value: 15*; 5** mg/m ³ *Total dust; ** Respirable fraction		
	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.		
	Long-term value: 1* mg/m ³ as Al; *as respirable fraction, A4		
· Exposure controls · Personal protective equipment:			

• General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

- Breathing equipment:
- Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. of page 1)

[·] Extinguishing media

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Alumina Powder 0.05, 0.3, 1.0 micron / Aluminum Oxide Abrasive Powder 3, 5, 9, 15, 30 micron

• Protection of hands: Not required.

• Eye protection: Not required.

9 Physical and chemical properties

• Information on basic physical and chemical properties • Cenceral Information • Appearance: • Form: Powder • Color: White • Odor threshold: Not determined. • Odor threshold: Not applicable. • Dange in condition Meditag point/Melting range: • Pil-value: Not applicable. • Phase point/Melting range: 2,957 °C (37.477 °F) • Boiling point/Moling range: 2,977 °C (37.477 °F) • Flammability (solid, gaseous): Product is not flammable. • Prannability (solid, gaseous): Product does not present an explosion hazard. • Danger of explosion: Product does not present an explosion hazard. • Danger of explosion limits: Lower: Lower: Not determined. • Upper: Not determined. • Vapor pressure: Not determined. • Upper: Not determined. • Vapor density: 3.97 g/cm² (33.13 lbs/gal) • Bulk density: </th <th></th> <th></th>						
'Apperance:Form:OwderYorm:Owder:OwderOdor:OdorlessOdorlessOdor threshold:Not determined.'pH-value:Not applicable.'Change in conditionSof0 °C (35.750 °F); Boiling point/Boiling range:2,050 °C (37.477 °F).'Flash point:Not applicable.'Flash point:Not applicable.'Paramability (solid, gaseous):Product is not flammable.'Decomposition temperature:Not determined.'Auto igniting:Not determined.'Danger of explosion:Product does not present an explosion hazard.'Panger of explosion:Not determined.'Upper:Not determined.'Upper:Not determined.'Vapor pressure:Not applicable.'Sensity at 20 °C (68 °F):3,97 gcm' (33.13 lbs/gal)'Bulk density:920 kg/m ³ 'Relative densityNot applicable.'Yapor densityNot applicable.'Specific gravity:3,98 (Water = 1)'Evaporation rateNot applicable.'Specific gravity:Not applicable.'Stecentific no-ottanol/wate:Not applicable.'Not applicable.Not applicable.'Not applicable. <th colspan="6"></th>						
Form:PowderColor:WhiteOdor threshold:OdorlessOdor threshold:Not determined.pH-value:Not determined.Change in condition2,050 °C (35,750 °F)Bolling point/Melting range:2,050 °C (37,477 °F)Bolling point/Solling range:2,057 °C (37,477 °F)Flash point:Not applicable.• Flash point:Not applicable.• Decomposition temperature:Not determined.• Decomposition temperature:Not determined.• Dager of explosion:Product is not flammable.• Dawer:Not determined.• Upper:Not determined.• Upper:Not determined.• Upper:Not determined.• Vapor pressure:Not determined.• Vapor pressure:Not applicable.• Belink density:920 Kg/m ³ • Splecific gravity:3,97 g/cm ³ (33.13 lbs/gal)• Bulk density:920 Kg/m ³ • Splecific gravity:Not applicable.• Specific gravity:Not applicable.• Solubility in / Miscibility with Water:Insoluble.• Solubility in / Miscibility with Water:Not applicable.• Vapor applicable:Not applicable.• Solubility in / Miscibility with Water:Not applicable.• Vapor applicable:Not applicable.• Solubility in / Miscibility with Water:Not applicable.• Vapor applicable:Not applicable.• Solubility in / Miscibility in / Miscibility in / Applicable.Not applicable.•						
Color:White OdortessOdor threshold:Not determined.'PII-value:Not applicable.'Change in condition Melting point/Molting range:2,050 °C (35.750 °F) 2,077 °C (37.477 °F)'Flash point:Not applicable.'Flash point:Not applicable.'Flash point:Not determined.'Decomposition temperature:Not determined.'Danger of explosion:Product is not flammable.'Danger of explosion:Not determined.'Upper:Not determined.'Upper:Not determined.'Upper:Not determined.'Upper:Not determined.'Upper:Not determined.'Upper:Not applicable.'Sapor pressure:Not applicable.'Bulk density:920 kg/m³'Relative densityNot applicable.'Supor fressity:3.97 grem³ (33.13 lbs/gal)'Supor fressity:3.98 (War = 1)'Evaporation rateNot applicable.'Suporation coefficient (n-octanol/water):Not applicable.'Suporation coefficient (n-octanol/water):Not applicable.'Viscosity:Not applicable.'Dynamic:Not applicable.'Viscosity:Not applicable.'Dynamic:Not applicable.'Viscosity:Not applicable.'Dynamic:Not applicable.'Viscosity:Not applicable.'Dynamic:Not applicable.'Viscosity:Not applicable.'Dynamic:Not applicable.'Viscosity:Not applicable.		Powder				
Odor:Odorless Not determined.Odor threshold:Not applicable.'PH-value:Not applicable.'Change in condition Melting point/Melting range:2,050 °C (35.750 °F) Boiling point/Melting range:'Q50 °C (37.477 °F)'Babing point/Solling range:2,977 °C (37.477 °F)'Flammability (solling gaseous):Product is not flammable.'Flammability (solling aseous):Product is not flammable.'Percomposition temperature:Not determined.'Decomposition temperature:Not determined.'Danger of explosion:Product does not present an explosion hazard.'Explosion limits: Lower:Not determined.'Upper:Not determined.'Upper:Not determined.'Vapor pressure:Not determined.'Vapor density:920 kg/m³'Bulk density:920 kg/m³'Sublity in / Miscibility with Water:Insoluble.'Sublity in / Miscibility with Water:Insoluble.'Sublity in / Miscibility with Water:Insoluble.'Viscosity: Dynamis:Not applicable.'Viscosity: Dynamis:Not applicable.'Viscosity: Dynamis:Not applicable.'Viscosity: Dynamis:Not applicable.'Viscosity: Dynamis:Not applicable.'Viscosity: Dynamis:Not applicable.'Solids content:Not applicable.'Viscosity: Dynamis:Not applicable.'Solids content:Not applicable.'Solids content:Not applicable.'Solids content: <th></th> <th></th>						
· Odor threshold:Not determined.• pH-value:Not applicable.• Change in condition Melting point/Melting range:2.050 °C (35.750 °F) 2.977 °C (37.477 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Flasmability (solid, gaseous):Product is not flammable.• Decomposition temperature:Not determined.• Auto igniting:Not determined.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not determined.• Upper:Not determined.• Upper:Not determined.• Vagor pressure:Not applicable.• Bulk density:920 kg/m³• Relative densityNot applicable.• Speciff gravity:3.98 (Water = 1)• Subbility in / Miscibility with Water:Insoluble.• Partition coefficient (n-octanol/water):Not applicable.• Viscosity: Dynamic: Not applicable.Not applicable.• Voscontent: Not applicable.Not applicable.• Viscosity: Dynamic: Not applicable.Not applicable.• Viscosity: Dynamic: Not applicable.Not applicable.• Viscosity: Dynamic: Not a						
• PH-value: Not applicable. • Change in condition Melting point/Melting range: 2,050 °C (35.750 °F) Boiling point/Boiling range: 2,077 °C (37.477 °F) • Flash point: Not applicable. • • Flash point: Not applicable. • • Flash point: Not applicable. • • Decomposition temperature: Not determined. • • Auto igniting: Not determined. • • Danger of explosion: Product does not present an explosion hazard. • • Explosion limits: • Not determined. • • Upper: Not determined. • Vavor: Not determined. • Vapor pressure: Not determined. • • • • Vapor pressure: Not determined. • • • • Vapor pressure: Not determined. • • • • • • Density at 20 °C (68 °F): 3.97 g/cm³ (33.13 lbs/gal) •						
Change in condition 2.050 °C (35.750 °F) Boiling point/Melting range: 2.977 °C (37.477 °F) • Flash point: Not applicable. • Flammability (solid, gaseous): Product is not flammable. • Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. • Upper: Not determined. • Vapor pressure: Not determined. • Vapor pressure: Not determined. • Vapor density 920 kg/m ³ • Relative density: 920 kg/m ³ • Relative density Not applicable. • Suportion rate Not applicable. • Suportion rate Not applicable. • Solubelity in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Dynamic: Not applicable. • Solubelity in / Miscibility with Mot applicable. • Viscosity: Dynamic: Dynamic: Not						
Meiting point/Meiting range:2,050 °C (35.750 °F) 2,977 °C (37.477 °F)•Flash point:Not applicable.•Flammability (solid, gaseous):Product is not flammable.• Decomposition temperature:Not determined.• Auto igniting:Not determined.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not determined.• Upper:Not determined.• Vapor pressure:Not determined.• Vapor pressure:Not determined.• Bulk density:920 kg/m³• Relative densityNot applicable.• Sepcific gravity:3.97 g/cm³ (33.13 lbs/gal)• Soupor tensityNot applicable.• Specific gravity:3.98 (Water = 1)• Evaporation rateNot applicable.• Soubility in / Miscibility with Water:Insoluble.• Partition coefficient (n-octanol/water): Not determined.• Viscosity: Dynamic:Not applicable.• Soubility in / Miscibility with Water:Insoluble.• Viscosity: Dynamic:Not applicable.• Viscosity: 		Not applicable.				
Boiling point/Boiling range:2,977 °C (37.477 °F)Flash point:Not applicable.Flammability (solid, gaseous):Product is not flammable.Decomposition temperature:Not determined.Auto igniting:Not determined.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Lower:Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):3.97 g/cm² (33.13 lbs/gal)Bulk density:920 kg/m³Specific gravity:3.98 (Water = 1)Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Partition coefficient (n-octanol/water):Not determined.Viscosity:Dynamic:Dynamic:Not applicable.Viscosity:Not applicable.Solids content:100.0 %						
• Flash point: Not applicable. • Flammability (solid, gaseous): Product is not flammable. • Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.97 g/cm³ (3.13 lbs/gal) • Bulk density: 920 kg/m³ • Relative density Not applicable. • Specific gravity: 3.98 (Water = 1) • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Not applicable. • Viscosity: Dynamice. Dynamic: Not applicable. • Viscosity: Dynamice. Dynamic: Not applicable. • VoC content: 0.00 %						
• Flammability (solid, gaseous): Product is not flammable. • Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Explosion limits: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.97 g/cm³ (33.13 lbs/gal) • Bulk density: 920 kg/m³ • Relative density Not determined. • Vapor density Not applicable. • Solubility in / Miscibility with Water: • Not applicable. Not applicable. • Solubility in / Miscibility with Water: • Partition coefficient (n-octanol/water): Not determined. Viscosity: • Dynamic: Not applicable. • Kinematic: Not applicable. • Vot conten	Boiling point/Boiling range:	2,977 °C (37.477 °F)				
• Decomposition temperature: Not determined. • Auto igniting: Not determined. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Lower: Not determined. Upper: Not determined. • Vapor pressure: Not applicable. • Density at 20 °C (68 °F): 3.97 g/cm³ (33.13 lbs/gal) • Bulk density: 920 kg/m³ • Relative density Not applicable. • Specific gravity: 3.98 (Water = 1) • Evaporation rate Not applicable. • Solubility in / Miscibility with Vapticable. • Viscosity: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. • Not applicable. Not applicable. • Viscosity: Insoluble. • Partition coefficient (n-octanol/water): Not determined. Not applicable. • Viscosity: Not applicable. • Not applicable. Not applicable. • VoC content: 0.00 % Solids content: 100.0 %	· Flash point:	Not applicable.				
Auto igniting: Not determined. Danger of explosion: Product does not present an explosion hazard. 'Explosion limits: Iower: Lower: Not determined. Upper: Not determined. 'Vapor pressure: Not applicable. 'Density at 20 °C (68 °F): 3.97 g/cm³ (33.13 lbs/gal) Bulk density: 920 kg/m³ Relative density Not determined. 'Vapor density Not applicable. 'Specific gravity: 3.98 (Water = 1) 'Exporation rate Not applicable. 'Solubility in / Miscibility with Insoluble. 'Vater: Insoluble. 'Viscosity: Jon applicable. 'Viscosity: Not applicable. 'VoC content: 0.00 % Solids content: 100.0 %	· Flammability (solid, gaseous):	Product is not flammable.				
• Danger of explosion: Product does not present an explosion hazard. • Explosion limits:	· Decomposition temperature:	Not determined.				
• Explosion linits: Image: Second	· Auto igniting:	Not determined.				
Lower:Not determined.Upper:Not determined.Vapor pressure:Not applicable.Density at 20 °C (68 °F):3.97 g/cm³ (33.13 lbs/gal)Bulk density:920 kg/m³Relative densityNot determined.Vapor densityNot applicable.Specific gravity:3.98 (Water = 1)Evaporation rateNot applicable.Solubility in / Miscibility with Water:Insoluble.Vater:Insoluble.Vater:Not determined.Vot content:Not applicable.Solids content:100.0 %	• Danger of explosion:	Product does not present an explosion hazard.				
Upper:Not determined.· Vapor pressure:Not applicable.· Density at 20 °C (68 °F):3.97 g/cm³ (33.13 lbs/gal)· Bulk density:920 kg/m³· Relative densityNot determined.· Vapor densityNot applicable.· Specific gravity:3.98 (Water = 1)· Evaporation rateNot applicable.· Solubility in / Miscibility with Water:Insoluble.· Partition coefficient (n-octanol/water):Not determined.· Viscosity:Dynamic: Not applicable.· VoC content:0.00 %· Solids content:100.0 %	· Explosion limits:					
· Vapor pressure: Not applicable. · Density at 20 °C (68 °F): 3.97 g/cm³ (33.13 lbs/gal) · Bulk density: 920 kg/m³ · Relative density Not determined. · Vapor density Not applicable. · Specific gravity: 3.98 (Water = 1) · Evaporation rate Not applicable. · Solubility in / Miscibility with Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Dynamic: Not applicable. · VoC content: 0.00 % Solids content: 100.0 %	Lower:	Not determined.				
• Density at 20 °C (68 °F): 3.97 g/cm³ (33.13 lbs/gal) • Bulk density: 920 kg/m³ • Relative density Not determined. • Vapor density Not applicable. • Specific gravity: 3.98 (Water = 1) • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Not applicable. • Viscosity: Not applicable. • VoC content: 0.00 % Solids content: 100.0 %	Upper:	Not determined.				
Bulk density: 920 kg/m³ Relative density Not determined. Vapor density Not applicable. Specific gravity: 3.98 (Water = 1) Evaporation rate Not applicable. Solubility in / Miscibility with Water: Water: Insoluble. • Partition coefficient (n-octanol/water): Not determined. • Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %	· Vapor pressure:	Not applicable.				
· Relative densityNot determined.· Vapor densityNot applicable.· Specific gravity:3.98 (Water = 1)· Evaporation rateNot applicable.· Solubility in / Miscibility with Water:Insoluble.· Partition coefficient (n-octanol/water):Not determined.· Viscosity: Dynamic: Kinematic: VOC content:Not applicable.· VoC content:0.00 %Solids content:100.0 %	· Density at 20 °C (68 °F):	3.97 g/cm ³ (33.13 lbs/gal)				
· Vapor density Not applicable. · Specific gravity: 3.98 (Water = 1) · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · · Viscosity: Jonamic: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 % Solids content: 100.0 %	· Bulk density:	920 kg/m ³				
• Specific gravity: 3.98 (Water = 1) • Evaporation rate Not applicable. • Solubility in / Miscibility with Insoluble. • Solubility in / Miscibility with Insoluble. • Partition coefficient (n-octanol/water): Not determined. • • Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. • VOC content: 0.00 % Solids content: 100.0 %	· Relative density	Not determined.				
· Evaporation rateNot applicable.· Solubility in / Miscibility with Water:Insoluble.· Partition coefficient (n-octanol/water):Not determined.· Viscosity:Not applicable.· Viscosity:Not applicable.· VoC content:0.00 %· Solids content:100.0 %	· Vapor density	Not applicable.				
· Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 % Solids content: 100.0 %						
Water:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not applicable.Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	 Evaporation rate 	Not applicable.				
Water:Insoluble.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not applicable.Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	· Solubility in / Miscibility with					
· Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 % Solids content: 100.0 %		Insoluble.				
Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	· Partition coefficient (n-octanol/water): Not determined.					
Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	· Viscosity:					
Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	Dynamic:					
Solids content: 100.0 %						
	VOC content:	0.00 %				
• Other information No further relevant information available.	Solids content:	100.0 %				
	• Other information	No further relevant information available.				

10 Stability and reactivity

• **Reactivity** No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. of page 2)

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Alumina Powder 0.05, 0.3, 1.0 micron / Aluminum Oxide Abrasive Powder 3, 5, 9, 15, 30 micron

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 3)

11 Toxicological information · Information on toxicological effects · Acute toxicity: · LD/LC50 values that are relevant for classification: 1344-28-1 aluminium oxide Oral LD50 >5,000 mg/kg (rat) Inhalative |LC50/4 h| > 6 mg/l (rat)· Primary chemical irritant effect: • on the skin: No irritant effect. on the eye: No irritating effect. • Sensitization: No sensitizing effects known. · Additional toxicological information: Abrasive eye irritant Abrasive skin irritant When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us. The substance is not subject to classification. · Carcinogenic categories · IARC (International Agency for Research on Cancer) Substance is not listed. · NTP (National Toxicology Program) Substance is not listed. **OSHA-Ca (Occupational Safety & Health Administration)** Substance is not listed. 2 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- \cdot Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN-Number
- · DOT, ADN, IMDG, IATA

not regulated

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Alumina Powder 0.05, 0.3, 1.0 micron / Aluminum Oxide Abrasive Powder 3, 5, 9, 15, 30 micron

	(Contd. of page 4
not regulated	
not regulated	
not regulated	
No	
Not applicable.	
ARPOL73/78 and Not applicable.	
not regulated	
	not regulated not regulated No Not applicable. ARPOL73/78 and Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):		
Substance is not listed.		
· Section 313 (Specific toxic chemical listings):		
Substance is listed.		
· TSCA (Toxic Substances Control Act):		
	ACTIVE	
· Hazardous Air Pollutants		
Substance is not listed.		
· Proposition 65		
· Chemicals known to cause cancer:		
Substance is not listed.		
Chemicals known to cause reproductive toxicity for females:		
Substance is not listed.		
· Chemicals known to cause reproductive toxicity for males:		
Substance is not listed.		
· Chemicals known to cause developmental toxicity:		
Substance is not listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2022 / 2.1
- Supersedes date: 06/11/2020
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Alumina Powder 0.05, 0.3, 1.0 micron / Aluminum Oxide Abrasive Powder 3, 5, 9, 15, 30 micron

(Contd. of page 5)

DOT: US Department of Transportation

- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

- vPvB: very Persistent and very Bioaccumulative
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

• * Data compared to the previous version altered.