

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2022 Version 3.0 Last revision 06/01/2022

1 Identification

· Product name: Colloidal Silica Suspension, Water free, 0.05 micron

· Part number: 180-22010

· Application of the substance / the mixture Polishing solution

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Allied High Tech Products Inc.

2376 East Pacifica Place

USA-RANCHO DOMINGUEZ, CA 90220

USA

info@alliedhightech.com

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to the lung, the kidneys, the liver, the reproductive system, the mucous membrane, the blood and the nervous system through prolonged or repeated exposure.

- · Additional information: Hazard determining components of labeling may be partially affected by: ethylene glycol
- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

May cause damage to the lung, the kidneys, the liver, the reproductive system, the mucous membrane, the blood and the nervous system through prolonged or repeated exposure.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 06/01/2022 Version 3.0 Last revision 06/01/2022

Product name: Colloidal Silica Suspension, Water free, 0.05 micron

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components and components with occupational exposure limits:				
1	107-21-1	ethylene glycol	♠ Acute Toxicity - Oral 4, H302	70-80%
76	631-86-9	silicon dioxide, chemically prepared		20-30%

[·] Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

* 4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Eye irritation

Dermatitis

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

* 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Alcohol resistant foam

Carbon dioxide

Fire-extinguishing powder

Water spray

Foam

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Keep away from ignition sources
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

Printing date 06/01/2022 Version 3.0 Last revision 06/01/2022

Product name: Colloidal Silica Suspension, Water free, 0.05 micron

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Comp	· Components with limit values that require monitoring at the workplace:			
107-21-1 ethylene glycol				
TLV	Short-term value: 10** mg/m³, 50* ppm			
	Long-term value: 25* ppm			
	*vapor fraction:**inh. fraction, aerosol only, A4			
WEEL	I (2)			
7631-8	6-9 silicon dioxide, chemically prepared			
PEL	Long-term value: 6*3** mg/m³			
	*total **respirable			

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands: Not required.
- · Material of gloves

Nitrile rubber, NBR

PVC gloves

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on bas	ic physica	I and chemica	al properties
--------------------	------------	---------------	---------------

· General Information

· Appearance:

Form: Suspension Color: Translucent • Odor: Mild

· **Odor threshold:** Not determined.

• **pH-value at 20 °C (68 °F):** 8.9 (10% in DI water)

· Change in condition

Melting point/Melting range: <13 °C (<55.4 °F) (est.) Boiling point/Boiling range: 195 °C (383 °F)

(Contd. on page 4)

Printing date 06/01/2022 Version 3.0 Last revision 06/01/2022

Product name: Colloidal Silica Suspension, Water free, 0.05 micron

(Contd. of page 3)

TEL 1 4 4 5 117 C 04			
· Flash point: >115.6 °C	C (>240.1 °F)		
· Flammability (solid, gaseous): Not appli	cable.		
· Decomposition temperature: Not deter	mined.		
· Auto igniting: Product i	s not selfigniting.		
· Danger of explosion: Product of	oes not present an explosion hazard.		
Explosion limits: Lower: 3.2 Vol % Upper: 15.3 Vol			
• Vapor pressure at 20 °C (68 °F): 0.1 hPa (est.)		
 Density: Not deter Relative density Not deter Vapor density at 20 °C (68 °F) 2.14 (est. Specific gravity: 1.24 Evaporation rate 	mined.		
· Solubility in / Miscibility with Water: Fully mis	cible.		
· Partition coefficient (n-octanol/water): Not determined.			
Viscosity: Dynamic at 20 °C (68 °F): Kinematic: 21.5 mPa Not deter			
· Solvent content: VOC content: 73.91 %			
Solids content: 26.1 %			
· Other information No further	r relevant information available.		

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide
- · Additional information: Hazardous decomposition products may form during combustion.

* 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
107-21-1 ethylene glycol			
Oral	LD50 5,840 mg/kg (rat)		
Dermal	LD50 9,430 mg/kg (rabbit)		
7631-86-9 silicon dioxide, chemically prepared			
Oral	LD50 7,000 mg/kg (mouse)		
Dermal	LD50 >2,000 mg/kg (rabbit)		

(Contd. on page 5)

Printing date 06/01/2022 Version 3.0 Last revision 06/01/2022

Product name: Colloidal Silica Suspension, Water free, 0.05 micron

(Contd. of page 4)

- · Primary chemical irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Abrasive eye irritant

Abrasive skin irritant

· Carcinogenic categories

8 8		
· IARC (International Agency for Research on Cancer)		
7631-86-9 silicon dioxide, chemically prepared	3	
· NTP (National Toxicology Program)		
None of the ingredients is listed.		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability Moderately /partly biodegradable
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 1	rans	port	ınj	tormai	ton
------	------	------	-----	--------	-----

· UN-Number · DOT, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
Packing group DOT, IMDG, IATA	not regulated	

(Contd. on page 6)

Printing date 06/01/2022 Version 3.0 Last revision 06/01/2022

Product name: Colloidal Silica Suspension, Water free, 0.05 micron

(Contd. of page 5)

· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 at the IBC Code	nd Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

107-21-1 ethylene glycol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

107-21-1 ethylene glycol

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

107-21-1 ethylene glycol

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2022 / 2.1
- · Supersedes date: 09/16/2020
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

Printing date 06/01/2022 Version 3.0 *Last revision 06/01/2022*

Product name: Colloidal Silica Suspension, Water free, 0.05 micron

(Contd. of page 6)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit
Acute Toxicity - Oral 4: Acute toxicity - Category 4
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) - Category 2

* Data compared to the previous version altered.