



1 Identification

- · Product name: EpoxyBond 110 Part A
- · Part number:

71-10000, 71-10005 71-10000-A, 71-10005-A

- · Application of the substance / the mixture Epoxy resin
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Allied High Tech Products Inc.

2376 East Pacifica Place

USA-RANCHO DOMINGUEZ, CA 90220

USA

info@alliedhightech.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrititation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

 $(Contd.\ on\ page\ 2)$

Printing date 06/01/2022 Version 5.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part A

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Reactive Diluent

1-Chloro-4 Trifluromethyl Bisphenol A Epoxy Resin

· Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Hazardous components and components with occupational exposure limits: | | |
|--|--------|--|
| 25085-99-8 1-Chloro-4 Trifluromethyl Bisphenol A Epoxy Resin | 50-60% | |
| Aquatic Chronic 2, H411; 🗘 Skin Irrititation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317 | | |
| Reactive Diluent | 30-40% | |
| Eye Damage 1, H318; Acute Toxicity - Oral 4, H302; Acute Toxicity - Dermal 4, H312; Acute Toxicity - Inhalation 4, H332; Skin Irrititation 2, H315; Sensitization - Skin 1, H317 | | |

[·] Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Allergic reactions

Printing date 06/01/2022 Version 5.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part A

(Contd. of page 2)

Dermatitis

Eye irritation

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Alcohol resistant foam

Foam

Water spray

Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Printing date 06/01/2022 Version 5.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part A

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| 71 nysicai ana chemicai properaes | | |
|---|---|--|
| · Information on basic physical and ch · General Information · Appearance: | emical properties | |
| Form: | Liquid | |
| Color: | Clear | |
| · Odor: | Mild | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. Undetermined. | |
| · Flash point: | >110 °C (>230 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure: | Not determined. | |
| · Density: | Not determined. | |

Printing date 06/01/2022 Version 5.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part A

(Contd. of page 4)

| Relative densityVapor densityEvaporation rate | Not determined. >1 <buac< th=""></buac<> | |
|---|--|--|
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. | |
| · Partition coefficient (n-octanol/water): Not determined. | | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| VOC content: | 0.00 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Keep away from oxidising agents and acidic substances.

Keep away from alkaline solutions.

Keep away from open flames. - No smoking.

Keep away from heat.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide
- · Additional information: Hazardous decomposition products may form during combustion.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Dermal

| · LD/LC50 | · LD/LC50 values that are relevant for classification: | | | |
|--|--|-----------------------|--|--|
| ATE (Acu | ATE (Acute Toxicity Estimate) | | | |
| Oral | Oral LD50 2,908 mg/kg (rat) | | | |
| Dermal | LD50 | 2,825 mg/kg (rabbit) | | |
| Inhalative | LC50/4 h | 27.5 mg/l | | |
| 25085-99-8 1-Chloro-4 Trifluromethyl Bisphenol A Epoxy Resin | | | | |
| Oral | LD50 | 15,000 mg/kg (rat) | | |
| Dermal | LD50 | 23,000 mg/kg (rabbit) | | |
| Reactive Diluent | | | | |
| Tremetry e | Jiiuciit | | | |

Primary chemical irritant effect:

Inhalative LC50/4 h 11 mg/l (ATE)

LD50

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.

1,130 mg/kg (rabbit)

· Sensitization: Sensitization possible through skin contact.

(Contd. on page 6)

Printing date 06/01/2022 Version 5.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part A

(Contd. of page 5)

- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| 14 Trans | port inf | tormai | ion |
|----------|----------|--------|-----|
|----------|----------|--------|-----|

| · UN-Number · DOT, ADN, IMDG, IATA | not regulated | |
|---|-----------------|--|
| · UN proper shipping name · DOT, ADN, IMDG, IATA | not regulated | |
| · Transport hazard class(es) | | |
| · DOT, ADN, IMDG, IATA · Class | not regulated | |
| · Packing group · DOT, IMDG, IATA | not regulated | |
| · Environmental hazards: | Not applicable. | |

(Contd. on page 7)

Printing date 06/01/2022 Version 5.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part A

(Contd. of page 6)

| · Special precautions for user | Not applicable. |
|---|--------------------|
| · Transport in bulk according to Annex II of MARPOL73/78 a the IBC Code | nd Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2022 / 4.1
- Supersedes date: 04/30/2020
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4 Skin Irrititation 2: Skin corrosion/irritation – Category 2

Printing date 06/01/2022 Version 5.0 *Last revision 06/01/2022*

Product name: EpoxyBond 110 - Part A

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

(Contd. of page 7)



Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2022 Version 4.0 Last revision 06/01/2022

1 Identification

· Product name: EpoxyBond 110 - Part B

· Part number:

71-10000, 71-10005 71-10000-B, 71-10005-B

- · Application of the substance / the mixture Epoxy curing agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Allied High Tech Products Inc.

2376 East Pacifica Place

USA-RANCHO DOMINGUEZ, CA 90220

USA

info@alliedhightech.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1C H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



Acute Toxicity - Oral 4 H302 Harmful if swallowed.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

Product name: EpoxyBond 110 - Part B

(Contd. of page 1)

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

Imidazole blend

imidazole

· Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

* 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Hazardous components and components with occupational exposure limits: | | | |
|--|----------|--|--------|
| Ī | | Imidazole blend | 50-60% |
| | | 📀 Eye Damage 1, H318; 🗘 Acute Toxicity - Oral 4, H302 | |
| Ī | 288-32-4 | imidazole | 30-40% |
| | | ♦ Toxic to Reproduction 1B, H360; ♦ Skin Corrosion 1C, H314; ♦ Acute Toxicity - Oral 4, H302 | |

Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Immediately call a doctor.

(Contd. on page 3)

Product name: EpoxyBond 110 - Part B

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Breathing difficulty

Coughing

Dermatitis

Eye irritation

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Product name: EpoxyBond 110 - Part B

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

| 9 Physical and chemical properties | | |
|---|---|--|
| · Information on basic physical and chemical properties · General Information | | |
| · Appearance: | | |
| Form: | Liquid | |
| Color: | Amber colored | |
| · Odor: | Mild | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · Change in condition Melting point/Melting range: Boiling point/Boiling range: | Undetermined. Undetermined. | |
| · Flash point: | >93 °C (>199.4 °F) | |
| · Flammability (solid, gaseous): | Not applicable. | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| · Danger of explosion: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure: | Not determined. | |

(Contd. on page 5)

Version 4.0 Printing date 06/01/2022 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part B

(Contd. of page 4)

| | | (common puge) |
|-----------------------------------|--|----------------|
| Density: | Not determined. | |
| · Relative density | Not determined. | |
| Vapor density | >1 | |
| · Evaporation rate | <buac< th=""><th></th></buac<> | |
| · Solubility in / Miscibility wit | h | |
| Water: | Slightly soluble. | |
| · Partition coefficient (n-octar | nol/water): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| VOC content: | 0.00 % | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid

Keep away from oxidising agents and acidic substances.

· LD/LC50 values that are relevant for classification:

Keep away from heat.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide
- · Additional information: Hazardous decomposition products may form during combustion.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| ATE (Acute Toxicity Estimate) | | | | |
|----------------------------------|--|--|--|--|
| Oral LD50 604 mg/kg | | | | |
| Imidazole blend | | | | |
| Oral LD50 500 mg/kg (ATE) | | | | |
| 288-32-4 imidazole | | | | |
| Oral LD50 880 mg/kg (mouse) | | | | |
| Primary chamical irritant affect | | | | |

- **Primary chemical irritant effect:**
- on the skin: No irritant effect.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

| · IARC (International Agency for Research on Cancer) | |
|--|--|
| None of the ingredients is listed. | |

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 6)

Product name: EpoxyBond 110 - Part B

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability Moderately /partly biodegradable
- Behavior in environmental systems:
- · Bioaccumulative potential Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.
- · Mobility in soil 50-70%
- Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

·Label

· Packing group · DOT, IMDG, IATA

| · DOT, IMDG, IATA | UN3267 |
|--|---|
| · UN proper shipping name · DOT · IMDG, IATA | Corrosive liquid, basic, organic, n.o.s. CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (imidazole) |
| · Transport hazard class(es) | |
| · DOT | |
| CORROSIVE | |
| · Class | 8 Corrosive substances |
| · Label | 8 |
| · IMDG, IATA | |
| | |
| · Class | 8 Corrosive substances |

Ι

Printing date 06/01/2022 Version 4.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part B

(Contd. of page 6)

| | (Cond. of page (|
|---|--|
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Warning: Corrosive substances |
| Hazard identification number (Kemler code): | 88 |
| EMS Number: | F-A,S-B |
| · Segregation groups | Alkalis |
| · Stowage Category | В |
| · Stowage Code | SW2 Clear of living quarters. |
| · Segregation Code | SG35 Stow "separated from" acids. |
| Transport in bulk according to Annex II of MARPOL | 73/78 and |
| the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 0.5 L |
| | On cargo aircraft only: 2.5 L |
| · Limited quantities (LQ) | 0 |
| Transport category | 1 |
| Tunnel restriction code | E |
| · IMDG | |
| · Limited quantities (LQ) | 0 |
| · Excepted quantities (EQ) | Code: E0 |
| - · · · · · · · · · · · · · · · · · · · | Not permitted as Excepted Quantity |
| · UN "Model Regulation": | UN 3267 CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (IMIDAZOLE), 8, I |

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- ·Sara

| · Section 355 (extremely hazardous substances): | |
|---|--|
| None of the ingredients is listed. | |

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65
- Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

[·] Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Printing date 06/01/2022 Version 4.0 Last revision 06/01/2022

Product name: EpoxyBond 110 - Part B

(Contd. of page 7)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Services

· Contact: Pablo Mendoza

· Last revision / supersedes version: 06/01/2022 / 3.1

· Supersedes date: 03/15/2022 · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Skin Corrosion 1C: Skin corrosion/irritation - Category 1C

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Toxic to Reproduction 1B: Reproductive toxicity - Category 1B

* Data compared to the previous version altered.