

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

1 Identification

- · Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)
- · Part number: 80-10140, 80-10145
- · Application of the substance / the mixture Lubricant
- \cdot Details of the supplier of the safety data sheet

 Manufacturer/Supplier: Allied High Tech Products Inc.
 2376 East Pacifica Place
 USA-RANCHO DOMINGUEZ, CA 90220
 USA
 info@alliedhightech.com

- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (310) 635-2466 Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

Hazard statements

Causes serious eye irritation.

• **Precautionary statements** Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 1)

3 Composition/information on ingredients

· Chemical characterization: Mixtures

 \cdot **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous	components and components with occupational exposure limits:	
770-35-4 1-Phenoxypropan-2-ol 🐼 Flammable L		5-10%
· Non-hazard	ous components:	
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	40-50%
	Proprietary Ingredient	20-30%
68608-26-4	Sodium petroleum sulfonate	5-10%
	Ether carboxylate	1-5%
68956-41-2	Emulsifiers, based on fatty acids with alkanolamines	1-5%

· Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Eye irritation
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- Carbon dioxide
- Water spray

Fire-extinguishing powder

Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Do not allow product to reach sewage system or any water course.
- Do not allow to enter sewers/ surface or ground water.

Dilute with plenty of water.

- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.

Version 3.0

Printing date 06/01/2022

Last revision 06/01/2022

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 2)

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:
- Protect from frost.
- Storage temperature between -40 °C and 40 °C
- Duration of storage: In closed, original container, at least 24 months
- Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- Breathing equipment:
- Not required.
- Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.3~\text{mm}$

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- [.] Information on basic physical and chemical properties
- · General Information

· Appearance:	
Form:	Liquid
Color:	Light brown
· Odor:	Almonds

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

(Contd. of page 3)

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

	(Contd. of page 3
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	8.5-9.2 (at 5% in water)
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. 300 °C (572 °F)
· Flash point:	150 °C (302 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	0.6 Vol % 6.5 Vol %
· Vapor pressure:	Not determined.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.98 g/cm ³ (8.178 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Emulsifiable.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity: Dynamic: Kinematic at 40 °C (104 °F):	Not determined. 68 mm ² /s
· Solvent content: VOC content:	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from oxidising agents and acidic substances.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:
- Chlorine compounds
- Sulfur oxides (SOx)
- Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

· Additional information: Hazardous decomposition products may form during combustion.

Version 3.0

Printing date 06/01/2022

Last revision 06/01/2022

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 4)

· Acute toxi	city:	cological effects
\cdot LD/LC50	values tha	t are relevant for classification:
Oral	LD50	7,220 mg/kg (rat)
Inhalative	LC50/4 h	65.5 mg/l (rat)
		ritant effect:
• on the ski		
• on the eye		
		nsitizing effects known.
· Additiona	l toxicolog	rical information:
· Carcinoge	nic catego	ries
· IARC (In	ernationa	l Agency for Research on Cancer)
None of th	e ingredier	nts is listed.
· NTP (Nat	ional Toxi	cology Program)
None of th	e ingredier	nts is listed.
· OSHA-Ca	(Occupat	tional Safety & Health Administration)
None of th	e ingredier	nts is listed.
2 Ecologic	al inforn	nation

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- \cdot Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 Transport information		
· UN-Number · DOT, ADN, IMDG, IATA	not regulated	
 [.] UN proper shipping name [.] DOT, ADN, IMDG, IATA 	not regulated	

(Contd. on page 6)

Printing date 06/01/2022

Version 3.0

Last revision 06/01/2022

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

		(Contd. of pag
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
[·] Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
[•] Transport in bulk according to Annex II of M the IBC Code	IARPOL73/78 and Not applicable.	
· UN "Model Regulation":	not regulated	
None of the ingredients is listed.	<i>)</i> .	
· Section 355 (extremely hazardous substances)):	
5		
• Section 313 (Specific toxic chemical listings):		
None of the ingredients is listed.		
• TSCA (Toxic Substances Control Act): All components have the value ACTIVE.		
1		
• Hazardous Air Pollutants None of the ingredients is listed.		
• Proposition 65		
· Chemicals known to cause cancer:		
None of the ingredients is listed.		
• Chemicals known to cause reproductive toxic	ity for females:	
None of the ingredients is listed.	v	
· Chemicals known to cause reproductive toxic	ity for molocy	
None of the ingredients is listed.		

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Services

- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2022 / 2.1
- Supersedes date: 05/18/2021
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

Version 3.0

Printing date 06/01/2022

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flammable Liquids 3: Flammable liquids – Category 3 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

• * Data compared to the previous version altered.

Last revision 06/01/2022

(Contd. of page 6)