

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing date 09/27/2023 Version 2.0 Last revision 09/27/2023

1 Identification

· Product name: TP Silicone Resin Cartridges - Green/Light, Black

· Part number: 145-81005, 145-81000

- · Application of the substance / the mixture Resin
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Allied High Tech Products Inc.

2376 East Pacifica Place

USA-RANCHO DOMINGUEZ, CA 90220

USA

info@alliedhightech.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

* 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Specific Target Organ Toxicity - Repeated Exposure 1 H372 Causes damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3

H412 Harmful to aquatic life with long lasting effects.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard statements

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Avoid release to the environment.

[In case of inadequate ventilation] wear respiratory protection.

If experiencing respiratory symptoms: Call a poison center/doctor.

(Contd. on page 2)

Printing date 09/27/2023 Version 2.0 Last revision 09/27/2023

Product name: TP Silicone Resin Cartridges - Green/Light, Black

(Contd. of page 1)

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

· CAS No. Description

Polyvinyl siloxane

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

	· Hazardous components and components with occupational exposure limits:			
Ī	14464-46-1	cristobalite	20-50%	
		❖ Carcinogenicity 1A, H350		
Ī			0.1-<0.25%	
		Flammable Liquids 3, H226; Toxic to Reproduction 2, H361; Aquatic Chronic 1, H410 PBT; vPvB		

4 First-aid measures

- · Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Keep away from ignition sources
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure proper ventilation/exhaustion at workplaces.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 09/27/2023 Version 2.0 Last revision 09/27/2023

Product name: TP Silicone Resin Cartridges - Green/Light, Black

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location. No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store receptacle in a well ventilated area.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No additional data. See 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:			
14464-	14464-46-1 cristobalite		
PEL	Long-term value: 0.05* mg/m³ *resp. dust;½ value from resp.dust formulae Quartz		
REL	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A		
TLV	Long-term value: 0.025* mg/m³ *respirable particulate matter, A2		
556-67	-2 octamethylcyclotetrasiloxane		
WEEL	Long-term value: 10* ppm *OARS WEEL		

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

- Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands: Not required.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information	on hacic	nhygical	and c	hamical	nranartias

· General Information

· Appearance:

Form: Pasty

Color: According to product specification

· Odor: Odorless · Odorless · Not determined.

• pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 175 °C (347 °F)

(Contd. on page 4)

Printing date 09/27/2023 Version 2.0 Last revision 09/27/2023

Product name: TP Silicone Resin Cartridges - Green/Light, Black

(Contd. of page 3)

	(Conta. of page 3)
· Flash point:	51 °C (123.8 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto igniting:	384 °C (723.2 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapor pressure at 25 °C (77 °F):	1.3 hPa (1 mm Hg)
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	1.6 g/cm³ (13.352 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: VOC content:	0.00 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

Oral LD50 >5,000 mg/kg (rat)

- Primary chemical irritant effect:
- · on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

Product name: TP Silicone Resin Cartridges - Green/Light, Black

(Contd. of page 4)

- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
14464-46-1 cristobalite	1	
· NTP (National Toxicology Program)		
14464-46-1 cristobalite K		
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· Results of PBT and vPvB assessment

· PBT:		
556-67-2 octamethylcyclotetrasiloxane		
· vPvB:		
556-67-2	octamethylcyclotetrasiloxane	

• Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.

Printing date 09/27/2023 Version 2.0 Last revision 09/27/2023

Product name: TP Silicone Resin Cartridges - Green/Light, Black

(Contd. of page 5)

· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 at the IBC Code	nd Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- $\cdot \ Safety, health \ and \ environmental \ regulations/legislation \ specific \ for \ the \ substance \ or \ mixture$
- No further relevant information available.
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

14464-46-1 cristobalite

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on the current state of our knowledge. However, they do not describe a guarantee of product properties and do not establish a contractual legal relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 09/27/2023
- · Supersedes date: 05/24/2021
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 3: Flammable liquids — Category 3

Carcinogenicity 1A: Carcinogenicity - Category 1A

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/27/2023 Version 2.0 Last revision 09/27/2023

Product name: TP Silicone Resin Cartridges - Green/Light, Black

Toxic to Reproduction 2: Reproductive toxicity – Category 2

Specific Target Organ Toxicity - Repeated Exposure 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.