



Safety Data Sheet
acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

1 Identification

- Product name: Aluminum Oxide Abrasive Belts
Part number: 50-10220-A, 50-10456, 50-10460, 50-10470, 50-10475, 50-10480, 50-10490
Application of the substance / the mixture Abrasive
Details of the supplier of the safety data sheet
Manufacturer/Supplier: Allied High Tech Products Inc.
Information department: Product safety department
Emergency telephone number: +1 (310) 635-2466

* 2 Hazard(s) identification

- Classification of the substance or mixture: Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
Additional information: All components listed for this product are bound within the product. When handled as intended and under normal conditions of use, there is no evidence that any of the ingredients are released in amounts that pose a significant health risk.

- Label elements
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Hazard pictograms Void
Signal word Void
Hazard statements: Harmful to aquatic life with long lasting effects.
Precautionary statements: Avoid release to the environment. Dispose of contents/container in accordance with local/regional/national/international regulations.

* 3 Composition/information on ingredients

- Chemical characterization: Mixtures
Description: Mixture of the substances listed below with nonhazardous additions.

Table with 3 columns: CAS number, Ingredient name, and Concentration. Includes entries for aluminium oxide (25-50%) and Limestone (1-10%) with hazard symbols.

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 1)

1332-58-7	Kaolin		1-10%
557-05-1	zinc distearate, pure		1-10%
15096-52-3	cryolite	⚠ Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H332	2.5-<10%
107-21-1	ethylene glycol	⚠ Acute Tox. 4, H302	1-10%
1309-37-1	diiron trioxide		1-10%
7778-18-9	calcium sulphate, natural		1-10%
14075-53-7	potassium tetrafluoroborate	⚠ Acute Tox. 3, H301; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	1-<10%
· Non-hazardous components:			
	Paper Backing		10-25%
	Resin		10-25%
	Wax		1-10%
	Garnet		1-10%
	Filler		1-10%
	Nylon loop		1-10%
1592-23-0	calcium distearate, pure		1-10%
	Lubricant		1-10%

· Additional information:

Product may contain many or all of the above ingredients.

The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

* 4 First-aid measures

· Description of first aid measures**· After inhalation:** Supply fresh air; consult doctor in case of complaints.**· After skin contact:** Generally the product does not irritate the skin.**· After eye contact:** Rinse opened eye for several minutes under running water.**· After swallowing:** If symptoms persist consult doctor.**· Information for doctor:****· Most important symptoms and effects, both acute and delayed**

Eye irritation

Dermatitis

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

· Extinguishing media**· Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**· Special hazards arising from the substance or mixture** No further relevant information available.**· Advice for firefighters****· Protective equipment:** No special measures required.

* 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.**· Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 2)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Store in dry conditions.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:

1344-28-1 aluminium oxide	
PEL	Long-term value: 15*; 5** mg/m ³ *Total dust; ** Respirable fraction
REL	Long-term value: 10* 5** mg/m ³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV	Long-term value: 1* mg/m ³ as Al; *as respirable fraction
1317-65-3 Limestone	
PEL	Long-term value: 15 mg/m ³
TLV	Long-term value: 10 mg/m ³
1332-58-7 Kaolin	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 2* mg/m ³ E; as respirable fraction
557-05-1 zinc distearate, pure	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 10 mg/m ³
15096-52-3 cryolite	
PEL	Long-term value: 2.5 mg/m ³ as F
REL	Long-term value: 2.5 mg/m ³ as F
107-21-1 ethylene glycol	
TLV	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction.**inh. fraction, aerosol only

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 3)

WEEL	I (2)
1309-37-1 diiron trioxide	
PEL	Long-term value: 10* mg/m ³ *Fume
REL	Long-term value: 5 mg/m ³ Dust & fume, as Fe
TLV	Long-term value: 5* mg/m ³ *as respirable fraction
7778-18-9 calcium sulphate, natural	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV	Long-term value: 10* mg/m ³ *as inhalable fraction
14075-53-7 potassium tetrafluoroborate	
PEL	Long-term value: 2.5 mg/m ³ as F
REL	Long-term value: 2.5 mg/m ³ as F
TLV	Long-term value: 2.5 mg/m ³ as F, BEI
· Ingredients with biological limit values:	
15096-52-3 cryolite	
BEI	2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific)
	3 mg/L Medium: urine Time: end of shift Parameter: Fluoride (background, nonspecific)
14075-53-7 potassium tetrafluoroborate	
BEI	2 mg/L Medium: urine Time: prior to shift Parameter: Fluoride (background, nonspecific)
	3 mg/L Medium: urine Time: end of shift Parameter: Fluoride (background, nonspecific)

· Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:** Wash hands before breaks and at the end of work.**· Breathing equipment:**

Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands: Not required.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 4)

- **Eye protection:** Not required.

9 Physical and chemical properties

· Information on basic physical and chemical properties	
· General Information	
· Appearance:	
Form:	Belt
Color:	According to product specification
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Insoluble.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC content:	1.47 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide
- **Additional information:** Hazardous decomposition products may form during combustion.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 5)

* 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)		
Oral	LD50	6,542 mg/kg
Dermal	LD50	>5000 mg/kg
Inhalative	LC50/4 h	>10.6 mg/l

1344-28-1 aluminium oxide		
Oral	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	>6 mg/l (rat)

1317-65-3 Limestone		
Oral	LD50	6,450 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	3 mg/l (rat)

557-05-1 zinc distearate, pure		
Oral	LD50	5,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

15096-52-3 cryolite		
Inhalative	LC50/4 h	1.5 mg/l (ATE)

107-21-1 ethylene glycol		
Oral	LD50	5,840 mg/kg (rat)
Dermal	LD50	9,430 mg/kg (rabbit)

1309-37-1 diiron trioxide		
Oral	LD50	>5,000 mg/kg (rat)

14075-53-7 potassium tetrafluoroborate		
Oral	LD50	100 mg/kg (ATE)

- **Primary chemical irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** No irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

- Abrasive eye irritant

- Abrasive skin irritant

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
1309-37-1	diiron trioxide	3
14075-53-7	potassium tetrafluoroborate	3

· NTP (National Toxicology Program)		
None of the ingredients is listed.		

· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingredients is listed.		

* 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 6)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Contact waste processors for recycling information.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADN, IMDG, IATA 	not regulated
<ul style="list-style-type: none"> · UN proper shipping name · DOT, ADN, IMDG, IATA 	not regulated
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADN, IMDG, IATA · Class 	not regulated
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	not regulated
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user 	Not applicable.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> · UN "Model Regulation": 	not regulated

*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

<ul style="list-style-type: none"> · Section 355 (extremely hazardous substances): 	
None of the ingredients is listed.	
<ul style="list-style-type: none"> · Section 313 (Specific toxic chemical listings): 	
1344-28-1	aluminium oxide
557-05-1	zinc distearate, pure
107-21-1	ethylene glycol

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/11/2020

Version 2.1

Last revision 06/11/2020

Product name: Aluminum Oxide Abrasive Belts

(Contd. of page 7)

· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
107-21-1	ethylene glycol
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
107-21-1	ethylene glycol
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:** Kim Dermit
- **Last revision / supersedes version:** 06/11/2020 / 2.0
- **Supersedes date:** 04/30/2020
- **Abbreviations and acronyms:**
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - BEI: Biological Exposure Limit
 - Acute Tox. 3: Acute toxicity – Category 3
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
 - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- *** Data compared to the previous version altered.**