

**Safety Data Sheet**  
*acc. to OSHA HCS*

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

**1 Identification**

- **Product name:** Cleaning Solution, GP (Undiluted)
- **Part number:** 95-10230, 95-10235
- **Application of the substance / the mixture** Alkaline cleaner/ detergent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Allied High Tech Products Inc.  
2376 East Pacifica Place  
USA-RANCHO DOMINGUEZ, CA 90220  
USA  
info@alliedhightech.com
- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (310) 635-2466  
Chemtrec: +1 (202) 483-7616

**\* 2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.  
Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
disodium metasilicate
- **Hazard statements**  
Causes severe skin burns and eye damage.
- **Precautionary statements**  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Rinse mouth. Do NOT induce vomiting.

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

**Product name: Cleaning Solution, GP (Undiluted)**

(Contd. of page 1)

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 Immediately call a poison center/doctor.  
 Specific treatment (see on this label).  
 Wash contaminated clothing before reuse.  
 Store locked up.  
 Dispose of contents/container in accordance with local/regional/national/international regulations.

### \* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· <b>Hazardous components and components with occupational exposure limits:</b>		
111-76-2	ethylene glycol monobutyl ether ⚠ Acute Tox. 3, H331; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Flam. Liq. 4, H227	10%
6834-92-0	disodium metasilicate ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	5-<10%
· <b>Non-hazardous components:</b>		
7732-18-5	water, distilled, conductivity or of similar purity	50-100%

- **Additional information:**

The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.  
 Per OSHA regulations, the concentration level of the following toxicant is not considered for classification: STOT SE 3, H335

### \* 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
 Dermatitis  
 Eye irritation
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### \* 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
 Alcohol resistant foam  
 Carbon dioxide  
 Fire-extinguishing powder  
 Water spray  
 Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Wear fully protective suit.

### \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
 Wear protective equipment. Keep unprotected persons away.  
 Keep away from ignition sources

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

**Product name: Cleaning Solution, GP (Undiluted)**

(Contd. of page 2)

**· Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.  
Dilute with plenty of water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**· Reference to other sections**

See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### \* 7 Handling and storage

**· Handling:****· Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

**· Information about protection against explosions and fires:** No special measures required.**· Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:**

Store in a cool location.  
No special requirements.

**· Information about storage in one common storage facility:** Not required.**· Further information about storage conditions:**

Keep away from heat.  
Keep receptacle tightly sealed.  
Store receptacle in a well ventilated area.

**· Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

**· Additional information about design of technical systems:** No further data; see item 7.**· Control parameters****· Components with limit values that require monitoring at the workplace:**

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

<b>111-76-2 ethylene glycol monobutyl ether</b>	
PEL	Long-term value: 240 mg/m <sup>3</sup> , 50 ppm Skin
REL	Long-term value: 24 mg/m <sup>3</sup> , 5 ppm Skin
TLV	Long-term value: 97 mg/m <sup>3</sup> , 20 ppm BEI
<b>· Ingredients with biological limit values:</b>	
<b>111-76-2 ethylene glycol monobutyl ether</b>	
BEI	200 mg/g creatinine Medium: urine Time: end of shift Parameter: Butoxyacetic acid with hydrolysis

(Contd. on page 4)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

**Product name: Cleaning Solution, GP (Undiluted)**

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Use suitable respiratory protective device when high concentrations are present.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
Neoprene gloves  
Nitrile rubber, NBR  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· <b>Information on basic physical and chemical properties</b>	
· <b>General Information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Liquid
· <b>Color:</b>	Red
· <b>Odor:</b>	Butyl-like
· <b>Odor threshold:</b>	Not determined.
· <b>pH-value at 20 °C (68 °F):</b>	12-13
· <b>Change in condition</b>	
· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	Undetermined.
· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

(Contd. on page 5)

# Safety Data Sheet

*acc. to OSHA HCS*

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Cleaning Solution, GP (Undiluted)

(Contd. of page 4)

· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	1.06 g/cm <sup>3</sup> (8.846 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
· <b>Organic solvents:</b>	10.0 %
· <b>Water:</b>	80.0 %
· <b>VOC content:</b>	10.00 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**  
Keep away from oxidising agents and acidic substances.  
Keep away from open flames. - No smoking.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide
- **Additional information:** Hazardous decomposition products may form during combustion.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· <b>LD/LC50 values that are relevant for classification:</b>		
<b>ATE (Acute Toxicity Estimate)</b>		
Oral	LD50	6,864 mg/kg (rat)
Dermal	LD50	4,000 mg/kg (rab)
Inhalative	LC50/4 h	22 mg/l (rat)
<b>111-76-2 ethylene glycol monobutyl ether</b>		
Oral	LD50	1,480 mg/kg (rat)
Dermal	LD50	400 mg/kg (rab)
Inhalative	LC50/4 h	2.2 mg/l (rat)
<b>6834-92-0 disodium metasilicate</b>		
Oral	LD50	1,280 mg/kg (rat)

- **Primary chemical irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 6)

# Safety Data Sheet

*acc. to OSHA HCS*

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

**Product name: Cleaning Solution, GP (Undiluted)**

(Contd. of page 5)

- **Additional toxicological information:**

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- **Carcinogenic categories**

· <b>IARC (International Agency for Research on Cancer)</b>	
111-76-2 ethylene glycol monobutyl ether	3
· <b>NTP (National Toxicology Program)</b>	
None of the ingredients is listed.	
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b>	
None of the ingredients is listed.	

## 12 Ecological information

- **Toxicity**

· <b>Aquatic toxicity:</b>	
<b>111-76-2 ethylene glycol monobutyl ether</b>	
EC50 (48 h) (static)	1,550 mg/l (daphnia)

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:** Contact waste processors for recycling information.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

· <b>UN-Number</b>	
· <b>DOT, IMDG, IATA</b>	UN3266
· <b>UN proper shipping name</b>	
· <b>DOT</b>	Corrosive liquid, basic, inorganic, n.o.s. (Disodium trioxosilicate)
· <b>IMDG, IATA</b>	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE)

(Contd. on page 7)

# Safety Data Sheet

*acc. to OSHA HCS*



Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Cleaning Solution, GP (Undiluted)

(Contd. of page 6)

<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul>	
	
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<ul style="list-style-type: none"> <li>8 Corrosive substances</li> <li>8</li> </ul>
<ul style="list-style-type: none"> <li>· <b>IMDG, IATA</b></li> </ul>	
	
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<ul style="list-style-type: none"> <li>8 Corrosive substances</li> <li>8</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>	<ul style="list-style-type: none"> <li>I</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>	<ul style="list-style-type: none"> <li>No</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Segregation groups</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Stowage Code</b></li> <li>· <b>Segregation Code</b></li> </ul>	<ul style="list-style-type: none"> <li>Warning: Corrosive substances</li> <li>88</li> <li>F-A,S-B</li> <li>Alkalis</li> <li>B</li> <li>SW2 Clear of living quarters.</li> <li>SG35 Stow "separated from" acids.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b></li> </ul>	<ul style="list-style-type: none"> <li>Not applicable.</li> </ul>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> <li>· <b>DOT</b></li> <li>· <b>Quantity limitations</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>	<ul style="list-style-type: none"> <li>On passenger aircraft/rail: 0.5 L</li> <li>On cargo aircraft only: 2.5 L</li> <li>0</li> <li>1</li> <li>E</li> </ul>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<ul style="list-style-type: none"> <li>0</li> <li>Code: E0</li> <li>Not permitted as Excepted Quantity</li> </ul>
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	<ul style="list-style-type: none"> <li>UN 3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (DISODIUM TRIOXOSILICATE), 8, I</li> </ul>

## \*15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

(Contd. on page 8)

# Safety Data Sheet

*acc. to OSHA HCS*

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

**Product name: Cleaning Solution, GP (Undiluted)**

(Contd. of page 7)

<b>· Section 313 (Specific toxic chemical listings):</b>	
111-76-2	ethylene glycol monobutyl ether
<b>· TSCA (Toxic Substances Control Act):</b>	
All components have the value ACTIVE.	
<b>· Hazardous Air Pollutants</b>	
None of the ingredients is listed.	
<b>· Proposition 65</b>	
<b>· Chemicals known to cause cancer:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause reproductive toxicity for females:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause reproductive toxicity for males:</b>	
None of the ingredients is listed.	
<b>· Chemicals known to cause developmental toxicity:</b>	
None of the ingredients is listed.	
<b>· Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:** Kim Dermit
- **Last revision / supersedes version:** 06/16/2020 / 2.0
- **Supersedes date:** 04/30/2020
- **Abbreviations and acronyms:**
  - IMDG: International Maritime Code for Dangerous Goods
  - DOT: US Department of Transportation
  - IATA: International Air Transport Association
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - VOC: Volatile Organic Compounds (USA, EU)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - vPvB: very Persistent and very Bioaccumulative
  - OSHA: Occupational Safety & Health
  - TLV: Threshold Limit Value
  - PEL: Permissible Exposure Limit
  - REL: Recommended Exposure Limit
  - BEL: Biological Exposure Limit
  - Flam. Liq. 4: Flammable liquids – Category 4
  - Acute Tox. 4: Acute toxicity – Category 4
  - Acute Tox. 3: Acute toxicity – Category 3
  - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
  - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- **\* Data compared to the previous version altered.**