

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

1 Identification

- **Product name:** Mold Release, Liquid, Hot and Cold, PTFE
- **Part number:** 200-10015
- **Application of the substance / the mixture** Releasing agent
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Allied High Tech Products Inc.
2376 East Pacifica Place
USA-RANCHO DOMINGUEZ, CA 90220
USA
info@alliedhightech.com
- **Information department:** Product safety department
- **Emergency telephone number:**
During normal opening times: +1 (310) 635-2466
Chemtrec: +1 (202) 483-7616

*** 2 Hazard(s) identification**

- **Classification of the substance or mixture**



Acute Tox. 4	H332 Harmful if inhaled.
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2A	H319 Causes serious eye irritation.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



- **Signal word** Warning
- **Hazard-determining components of labeling:**
trans-dichloroethylene
2h, 3h-Decafluoropentane
- **Hazard statements**
Harmful if inhaled.

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 1)

Causes skin irritation.

Causes serious eye irritation.

May cause respiratory irritation.

Harmful to aquatic life with long lasting effects.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

* 3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:** Mixture of the substances listed below with nonhazardous additions.**Hazardous components and components with occupational exposure limits:**

156-60-5	trans-dichloroethylene	50-100%
	☠ Flam. Liq. 2, H225; ☠ Acute Tox. 4, H332; Aquatic Chronic 3, H412	
138495-42-8	2h, 3h-Decafluoropentane	20-<25%
	☠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320; Aquatic Acute 3, H402; Aquatic Chronic 3, H412	
67-63-0	isopropyl alcohol	1-<10%
	☠ Flam. Liq. 2, H225; ☠ Eye Irrit. 2A, H319; STOT SE 3, H336	
9002-84-0	Polytetrafluoroethylene	≤1%
	☠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319	

Non-hazardous components:

65530-85-0	Poly-TFE (methylcyclohexyl)	1-10%
------------	-----------------------------	-------

Additional information:

The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

Per OSHA regulations, the concentration level of the following toxicant is not considered for classification: STOT SE 3, H336

* 4 First-aid measures

Description of first aid measures**General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:** If symptoms persist consult doctor.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

Breathing difficulty

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 2)

Dizziness
Coughing
Nausea
Dermatitis
Eye irritation

· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

* 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Carbon dioxide
Alcohol resistant foam
Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Do not allow to enter sewers/ surface or ground water.
Inform respective authorities in case of seepage into water course or sewage system.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store at temperatures not exceeding 52°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Protect from frost.
Keep receptacle tightly sealed.
Store receptacle in a well ventilated area.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 3)

156-60-5 trans-dichloroethylene	
PEL	Long-term value: 790 mg/m ³ , 200 ppm
REL	Long-term value: 790 mg/m ³ , 200 ppm
TLV	Long-term value: 793 mg/m ³ , 200 ppm
67-63-0 isopropyl alcohol	
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 492 mg/m ³ , 200 ppm
	BEI
· Ingredients with biological limit values:	
67-63-0 isopropyl alcohol	
BEI	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

· Exposure controls**· Personal protective equipment:****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· Breathing equipment: Use suitable respiratory protective device when high concentrations are present.**· Protection of hands:**

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

* 9 Physical and chemical properties

· Information on basic physical and chemical properties**· General Information****· Appearance:**

Form: Liquid

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 4)

· Color:	White
· Odor:	Light
· Odor threshold:	Not determined.
· pH-value at 20 °C (68 °F):	7
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	48 °C (118.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	440 °C (824 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 25 °C (77 °F):	425.3 hPa (319 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	72.2 %
VOC content:	72.15 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid**
 Keep away from oxidising agents and acidic substances.
 Do not mix with alkalis.
 Keep away from heat.
 Keep away from open flames. - No smoking.
 Keep away from alkaline solutions.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
 Carbon monoxide and carbon dioxide
 Hydrogen chloride (HCl)

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 5)

Hydrogen fluoride

· **Additional information:** Hazardous decomposition products may form during combustion.

11 Toxicological information

· **Information on toxicological effects**· **Acute toxicity:**· **LD/LC50 values that are relevant for classification:****ATE (Acute Toxicity Estimate)**

Inhalative	LC50/4 h	16.1 mg/l
------------	----------	-----------

156-60-5 trans-dichloroethylene

Oral	LD50	7,902 mg/kg (rat)
------	------	-------------------

Inhalative	LC50/4 h	11 mg/l (ATE)
------------	----------	---------------

138495-42-8 2h, 3h-Decafluoropentane

Oral	LD50	>5,000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>5,000 mg/kg (rabbit)
--------	------	-----------------------

Inhalative	LC50/4 h	114 mg/l (rat)
------------	----------	----------------

67-63-0 isopropyl alcohol

Oral	LD50	5,045 mg/kg (rat)
------	------	-------------------

Dermal	LD50	12,800 mg/kg (rabbit)
--------	------	-----------------------

Inhalative	LC50/4 h	30 mg/l (rat)
------------	----------	---------------

9002-84-0 Polytetrafluoroethylene

Oral	LD50	11,280 mg/kg (rat)
------	------	--------------------

· **Primary chemical irritant effect:**· **on the skin:** Irritant to skin and mucous membranes.· **on the eye:** Irritating effect.· **Sensitization:** No sensitizing effects known.· **Additional toxicological information:**· **Carcinogenic categories**· **IARC (International Agency for Research on Cancer)**

67-63-0	isopropyl alcohol	3
---------	-------------------	---

9002-84-0	Polytetrafluoroethylene	3
-----------	-------------------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

* 12 Ecological information

· **Toxicity**· **Aquatic toxicity:****156-60-5 trans-dichloroethylene**

EC50 (96 h)	798 mg/l (fresh water algae)
-------------	------------------------------

LC50 (96 h)	74 mg/l (bluegill sunfish)
-------------	----------------------------

LC50 (48 h)	79 mg/l (daphnia)
-------------	-------------------

138495-42-8 2h, 3h-Decafluoropentane

LC50 (96 h)	27.2 mg/l (fathead minnows)
-------------	-----------------------------

	13.9 mg/l (rainbow trout)
--	---------------------------

LC50 (48 h)	11.7 mg/l (daphnia)
-------------	---------------------

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 6)

- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Contact waste processors for recycling information.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADN, IMDG, IATA 	not regulated
<ul style="list-style-type: none"> · UN proper shipping name · DOT, ADN, IMDG, IATA 	not regulated
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADN, IMDG, IATA · Class 	not regulated
<ul style="list-style-type: none"> · Packing group · DOT, IMDG, IATA 	not regulated
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user 	Not applicable.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> · UN "Model Regulation": 	not regulated

*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- Sara

<ul style="list-style-type: none"> · Section 355 (extremely hazardous substances):
--

None of the ingredients is listed.

<ul style="list-style-type: none"> · Section 313 (Specific toxic chemical listings):
--

67-63-0 isopropyl alcohol

<ul style="list-style-type: none"> · TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/16/2020

Version 2.1

Last revision 06/16/2020

Product name: Mold Release, Liquid, Hot and Cold, PTFE

(Contd. of page 7)

· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** Environment protection department.
- **Contact:** Kim Dermit
- **Last revision / supersedes version:** 06/16/2020 / 2.0
- **Supersedes date:** 05/01/2020
- **Abbreviations and acronyms:**
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - BEI: Biological Exposure Limit
 - Flam. Liq. 2: Flammable liquids – Category 2
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
 - Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B
 - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
 - Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3
 - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
- *** Data compared to the previous version altered.**